

T60 MAX PLUS 4X4



The LDV T60 Max Plus, a powerful, versatile ute designed to effortlessly transcend between work and family life. This supremely dedicated all-rounder is durable and dedicated to getting the job done on weekdays, but also stylish and comfortable for family adventures when the weekend rolls around.

PACKS A PUNCH

Its powerful bi-turbo 2.0 diesel Euro V Engine delivers an impressive 160kW of power and an immense 500Nm of torque - making the T60 MAX Plus one of the most powerful in its class. This ute can also easily perform all duties, with a 3-tonne braked towing capacity, 8-speed transmission and four-wheel-drive.



BUCKLE UP

The Electric Power Steering adds comfort and confidence when you're driving in and out of town. Add in a long list of safety features including Lane Keep Assist, Adaptive Cruise Control, 360° Around View Camera, Front and rear parking sensors and Autonomous Emergency Braking and its clear the T60 Max Plus has your best interests at heart.

BELLS & WHISTLES

The interior has been designed with ergonomics in mind with all your key functions easily within reach. It doesn't miss out on any luxuries, with leather-trimmed upholstery and 6-way electronic adjustment, heated front seats, which make those early winter mornings much more pleasant. Bright, dual 12.3" displays now conveniently house your infotainment and key driver information. A Wireless Mobile Charging Pad, means you can easily achieve mobility for your business and keep the kids happy on family holidays.



CUSTOMISATION

Talk to us about colour choices, customisation, signwriting, parts and accessories – we'll see you right.



T60 MAX PLUS 4X4



With a massive amount of grunt, a stunning dual display interior and a rugged exterior, the T60 Max Plus is half beauty and half beast.



CARRIES: 5 IN THE CAB 1,188L IN THE TRAY

Tray dimensions (mm) 1,485 (L) x 1,510 (W) x 530 (H) Payload 830kg



HERE



POWERED BY:

2.0L BI-TURBO DIESEL **EURO V ENGINE**

Power: 160kW Torque: 500Nm

Sport and Eco drive mode 2WD and 4WD high low selector

KEY FEATURES

- 12.3" dual digital display with Apple CarPlay and Android Auto
- · Black side mirrors (auto folding with heating)
- 360° Panoramic Camera
- Unique 18" black alloy wheels
- · Leather seats with heating, 6-way electronic adjustment and heated front seats
- Warranty 7-Years/200,000km* (whichever occurs first)

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded, the combined weight of the fully loaded vehicles (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

"The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000km (whichever comes first) for Internal Combustion Engine (CE) powered wehicles or 7 years or 160,000km (whichever comes first) for Internal Combustion Engine (CE) powered whicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require priod of purchase and

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit Idv.co.nz



T60 MAX PLUS 4X4 TECHNICAL SPECIFICATION



LDV WARRANTY ROADSIDE ASSIST & WOF*

| v · · | |
|---|------------------------------------|
| Variant | Auto |
| Transmission | 8 speed automatic |
| Drive | 4WD |
| Engine | |
| Warranty 7-Year/200,000km (whichever occurs first) | • |
| Туре | 2.0L Bi-Turbo Diesel Euro V Engine |
| Maximum Power (kW/rpm) | 160 |
| Maximum Torque (Nm/rpm) | 500 |
| Displacement (cc) | 1,996 |
| No. of Valves | 16 |
| No. of Cylinders | 4 |
| Manual Shift Mode for Auto Models | • |
| Eco/Sport Mode | • |
| 2WD and 4WD high and low selector | • |
| D 1 | |
| Brakes Front C room dies | Ventilated Front/Rear |
| Brakes – Front & rear, disc Wheels and Tyres | 18" x Alloy Wheels with |
| Final Tank (Lituas) | 265/60R18HT tyres |
| Fuel Tank (Litres) Combined Fuel Consumption, | 73 |
| L/100km | 8.9 |
| Emissions Standard | Euro 5 |
| Dimensions | |
| Front Overhang (mm) | 972 |
| Front Track/Rear Track (mm) | 1,596 |
| Overall Length (mm) | 5,395 |
| Overall Height (without Roof Rails) (mm) | 1,819 |
| Overall Width (Exterior Mirrors extended) (mm) | 2,145 |
| Overall Width (Exterior Mirrors folded) (mm) | 1,900 |
| Rear Overhang (mm) | 1,248 |
| Turning Circle (kerb to kerb) (m) | 12.6 |
| Wheelbase (mm) | 3,175 |
| Tub Box Width - Pick-Up Box (mm) | 1,510 |
| Tub Box Width of Rear Opening (mm) | 1,365 |
| Tub Height – at Centreline of Axle (mm) | 530 |
| Tub Length – at Floor (mm) | 1,485 |
| Tub Length - Top of Box (mm) | 1,485 |
| Tub Width – Between Wheel Arches (mm) | 1,131 |

| Variant | Auto |
|--|-------|
| Gross Combined Vehicle Mass (kg) | 6,050 |
| Gross Vehicle Mass (kg) | 3,050 |
| Payload (kg) | 830 |
| Towing Capacity – Braked (kg) | 3,000 |
| Max tow ball down weight (kg) | 250 |
| Towing Capacity – Unbraked (kg) | 750 |
| Safety Features | |
| Adaptive Cruise Control | • |
| Autonomous Emergency Braking | • |
| Lane Departure Warning | • |
| Lane Keep Assist (LKA) | • |
| Fatigue Reminder and Attention | • |
| Assist | • |
| Anti-Lock Braking System (ABS) | • |
| Electronic Brake Assist (EBA) | • |
| Electronic Brake-force Distribution (EBD) | • |
| Electronic Stability Program (ESP) | • |
| Hill Descent Control (HDC) | • |
| Hill-Start Assist System (HAS) | • |
| Traction Control System (TCS) | • |
| Vehicle Dynamics Control (VDC) | • |
| Rear On Demand Differential Lock | • |
| Airbags – Driver and front passenger, side and full-length curtain | • |
| Seat Belts Front Dual Pretensioning | • |
| Engine Immobiliser | • |
| Child Anchoring – ISOFIX + Top Tether | • |
| Lockable Glove Box | • |
| Front & Rear Parking Sensors | 2 |
| 360 Degree Panoramic Camera | • |
| Tyre Pressure Monitoring System (TPMS) | • |
| 2 Smart Keys | • |
| Exterior | |
| Engine Bonnet – Gas Strut | • |
| Single Front Tow Recovery Point | • |
| Front Guard Plate – Black | • |
| Front Grille – Black Gloss | • |
| Door Handle – Black | • |
| Door Mirrors - Black | • |



T60 MAX PLUS 4X4 TECHNICAL SPECIFICATION



| Variant | Auto |
|--|------|
| Side Mirrors – Auto Folding with Heating | • |
| Tub Cargo Tie Down Hooks | 4 |
| Mudflaps – Front and Rear | • |
| LED Headlights – Auto Dusk Sensing and Height Adjustable with LED Daytime Running Lights | • |
| Rain Sensing Windscreen Wipers | • |
| Tub Liner – Spray In | • |
| Side Steps | • |
| Sailplane Bar – Black | • |
| Black Wheel arches | • |
| Rear Fog Lights | • |
| Rear Bumper – Black | • |
| Cargo Tailgate Lock | • |
| Tailgate Assist | • |

| Comfort and Convenience | |
|---|---|
| Steering column – Height adjustable | • |
| Steering – Electric Power Steering (EPS) | • |
| Front Suspension – Double Wishbone (Comfort) | • |
| Rear Suspension – Multi-link | • |
| 12V Power Outlet x 1 | • |
| Air Conditioning – Climate Control | • |
| Rear Air Vents | • |
| Rear View Mirror – Auto Dimming | • |
| Multifunction Steering Wheel with Heating | • |
| Paddle Shifts for Gears | • |
| Sunglass Holder | • |
| Cup Holders | 4 |
| Keyless Entry and Push Button Start | • |

| Variant | Auto |
|--|------|
| Seating | |
| 5 Seats | • |
| Front Row Seats – 6 way Electronic adjustment with Heating | • |
| Leather Trimmed Seats – Black Partial | • |
| Speakers | 4 |
| 12.3" Infotainment and Driver Displays with Bluetooth, AM/FM Stereo Radio, Apple CarPlay® and Android Auto™ | • |
| Wireless Mobile Charging Pad | • |
| USB Ports | 3 |

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight includes the vehicle with viring is fitted, and trailer is attached, parking sensors will be disabled.

*The warranty is valid for vehicles registrated on or after I January 2025 and covers a period of 7 years or 160,000 km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues used t





Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axie load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking expects will be disabled. sensors will be disabled.

sensors will be disabled.

"The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000km (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory rights under the Consumer Guarantees Act. For full details, visit https://ldv.conz/warranty/.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and stardard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand. Visit Idv.co.nz