

6

6

DELIVER 7

1



L

Deliver 7



DELIVER 7



The new **LDV Deliver 7** is destined to shake up the mid-size van market in New Zealand. With its class-leading warranty, impressive cargo capacity, payload, comfort, safety, technology and value for money it offers a compelling option for any business looking to enhance its fleet.

FEEL THE POWER

New Deliver 7 is powered by LDV's proven 2.0-litre D20 diesel engine, delivering 123kW and 390Nm through the front wheels. A 9-speed ZF gearbox ensures seamless gear shifts for optimal performance.

* An 80-litre fuel tank ensures the Deliver 7 can stay on the road longer, while the 2,000kg max braked towing capacity gives drivers additional capability if needed.

DELIVER 7	VOLUME	PAYLOAD
SWB	6.3m ³	1,295kg*
LWB	7.2m ³	1,230kg*

HAVE IT YOUR WAY

The 90°/180° opening rear doors are ideal for loading pallets with forklift and can be fixed in place while the vehicle is on an incline to prevent them from being blown shut. Both rear doors also come standard with glass to ensure optimal rear visibility. Deliver 7 is also decked out with non-slip rubber flooring, and either six (SWB) or eight (LWB) tie-down points in the cargo area, a single-sliding door on the passenger side, and rear cargo lighting.





10/10 FOR COMFORT AND ENTERTAINMENT

Your day doesn't have to be all work and no play, keep cool as you crank on the aircon and turn up the tunes. The 12.3" touchscreen infotainment display fitted in the dash, gives you access to radio, Bluetooth, Apple CarPlay[®] and Android Auto[™], which are all ideal for making and taking calls or playing DJ with your own playlist via your smartphone. The cabin of the new Deliver 7 doubles as a practical and convenient workspace for the driver. Keyless entry and start, height adjustable driver's seat with manual slide, recline, lumbar support and armrest, all help take the hassle out of daily deliveries.



CUSTOMISATION

Talk to us about colour choices, customisation, signwriting, parts and accessories – we'll see you right.



DELIVER 7



Deliver 7 fits in perfectly size-wise between the smaller eDeliver 3 and larger Deliver 9 vans. There are short, and long-wheelbase options on offer – providing another tool of trade vehicle option for Kiwi businesses.



Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of sensors will be disabled.

"The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, visit https://dvco.nz/warranty/.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit Idv.co.nz

DELIVER 7 TECHNICAL SPECIFICATION

Transmission9 Speed Automatic9 Speed AutomaticDriveFWDFWDGeneralFWDWarranty 7-Year/200,000km (whichever occurs first)12.0L turbo diesel engineEngine2.0L turbo diesel engine2.0L turbo diesel engineRated Power (kW)123.5123.5Maximum Torque (Nm)390390Displacement1.996cc1.996ccCompression Ratio15.9±0.2115.9±0.21No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83'9283'92Emissions StandardEuro 5Euro 5Eco/Power Mode00Fuel Tank (Litres)8080Steering and Handling00Front suspension - MacPherson Independent16" steel wheelsFront suspension - Leaf Spring16" steel wheelsTyres215/6SR16C215/6SR16CFuel Tank (Litres)16" steel wheelsTyres00Rear discs00Fund tandling ear camera4.9985.364Wheels16" steel wheel0Furs2.03002.030With (mm)2.0302.030With (mm)2.0303.020With (mm)2.0303.020	Variant	SWB Low Roof	LWB Low Roof		
ArriseArriseGeneralWarranty 7-Year/200,000km (whichever occurs first)2.0L turbo diesel engine2.0L turbo diesel engineEngine2.0L turbo diesel engine2.0L turbo diesel engineRated Power (kW)123.5123.5Maximum Torque (Nm)390390Displacement1,996cc1,996ccCompression Ratio15.9±0.2:115.9±0.2:1No. of Valves1616No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode00Engine Stop/Start System8080Fuel Tank (Litres)8080Steering and Handling00Electric power steering16* steel wheelsIndependent16* steel wheels16* steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel00Hui size steel spare wheel00Endrics00Rear discs00Funct20302,030Width (mm)2,0302,030Width – including mirrors (mm)2,3232,323Height – excluding rear camera1,9981,998	Transmission		•		
Warranty 7-Year/200,000km (whichever occurs first).Engine2.0L turbo diesel engine2.0L turbo diesel engineRated Power (kW)123.5123.5Maximum Torque (Nm)390390Displacement1,996cc1,996ccCompression Ratio15.9±0.2115.9±0.21No. of Valves1616No. of Valves1616No. of Vylinders44Bore x Stroke (mm)83°9283°92Emissions StandardEuro 5Euro 5Eco/Power Mode00Fuel Tank (Litres)8080Steering and Handling00Font suspension - MacPherson Independent16" steel wheelsNeels16" steel wheels16" steel wheelsTyres215/65R16C215/65R16CFunt ventilated discs00Rear discs00Front ventilated discs00Rear discs00Fund ventilated discs00Rear discs00Kerding near camera (mm)4,9985,364Width - including mirrors (mm)2,3232,323Height - excluding rear camera (mm)1,9981,998	Drive	FWD	FWD		
(whichever occurs first)· · · ·Engine2.0L turbo diesel engine2.0L turbo diesel engineRated Power (kW)123.5123.5Maximum Torque (Nm)390390Displacement1.996cc1.996ccCompression Ratio15.9±0.2115.9±0.21No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode00Fuel Tank (Litres)8080Vertarg and Handling00Front suspension - MacPherson Independent16" steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel00Frent vertilated discsFront ventilated discs0Rear discs00Fund turbil rear camera (mm)4,9985,364Width - including mirrors (mm)2,3232,323Height - excluding rear camera (mm)1,9981,998	General				
EngineengineengineRated Power (kW)123.5123.5Maximum Torque (Nm)390390Displacement1,996cc1,996ccCompression Ratio15.9±0.2:115.9±0.2:1No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode••Engine Stop/Start System8080Fuel Tank (Litres)8080Steering and Handling••Electric power steering••Independent16" steel wheels16" steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel••Emertilited discsRear discs••Eucry betails••Kendy Details2,0302,030Width (rum)2,0322,323Height – excluding rear camera (rum)1,9981,998		•	•		
Maximum Torque (Nm)390390Displacement1,996cc1,996ccCompression Ratio15.9±0.2:115.9±0.2:1No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode••Engine Stop/Start System680Fuel Tank (Litres)8080Steering and HandlingElectric power steering•Front suspension - MacPherson Independent16" steel wheels16" steel wheels16" steel wheelsTyres215/65R16CFront suspension - Leaf Spring•Wheels16" steel wheelsTyres215/65R16CFront ventilated discs•Rear discs•Front ventilated discs1Rear discs.Steep Details•Length - excluding rear camera (mm)2,030Width (mm)2,0302,3231,998Height - excluding rear camera (mm)1,998Height - excluding rear camera (mm)1,998	Engine				
Displacement1,996cc1,996ccCompression Ratio15.9±0.2:115.9±0.2:1No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode••Engine Stop/Start System••Fuel Tank (Litres)8080Steering and HandlingElectric power steering••Front suspension – MacPherson Independent16" steel wheels16" steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel••Electric power steeringFront ventilated discs••Front ventilated discs••Front ventilated discs••Front ventilated discs••Rear discs••Height – excluding rear camera (mm)2,0302,030Width (mm)2,0302,030Width – including mirrors (mm)2,3232,323Height – excluding rear camera (mm)1,9981,998	Rated Power (kW)	123.5	123.5		
Compression Ratio15.9±0.2:115.9±0.2:1No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode••Engine Stop/Start System••Fuel Tank (Litres)8080Steering and HandlingElectric power steering••Front suspension – MacPherson Independent16" steel wheels16" steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel••Terate steer st	Maximum Torque (Nm)	390	390		
No. of Valves1616No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode••Engine Stop/Start System••Fuel Tank (Litres)8080Steering and HandlingElectric power steering•Front suspension – MacPherson Independent•Nheels16" steel wheels16" steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel••BrakesFront ventilated discs•Rear discs•Font ventilated discs•Rear discs•Fund ventilated discs••Rear discs••Width (mm)2,0302,030Width (mm)2,3232,323Height – excluding rear camera (mm)1,9981,998	Displacement	1,996cc	1,996cc		
No. of Cylinders44Bore x Stroke (mm)83*9283*92Emissions StandardEuro 5Euro 5Eco/Power Mode••Engine Stop/Start System••Fuel Tank (Litres)8080Steering and HandlingElectric power steering•Front suspension – MacPherson Independent•Rear suspension – Leaf Spring•Wheels16" steel wheelsTyres215/65R16CElectric steel spare wheel•Steering steel spare wheelFront ventilated discsFront ventilated discs•Rear discs•Stady DetailsLength – excluding rear camera (mm)4,998Lingth – excluding rear camera (mm)1,998Height – excluding rear camera (mm)1,998Lingth – excluding rear camera (mm)1,998Lingth – excluding rear camera (mm)1,998	Compression Ratio	15.9±0.2:1	15.9±0.2:1		
Bore x Stroke (mm)83°9283°92Emissions StandardEuro 5Euro 5Eco/Power Mode••Engine Stop/Start System••Fuel Tank (Litres)8080Steering and HandlingElectric power steering•Front suspension - MacPherson Independent•Rear suspension - Leaf Spring•Wheels16" steel wheelsTyres215/65R16CFront ventilated discs•Rear discs•SteeringUtentilated discsRear discs•Steering h excluding rear camera (mm)4,998Length - excluding rear camera (mm)1,998Height - excluding rear camera (mm)1,998Height - excluding rear camera (mm)1,998Light - excluding rear camera (mm)1,998Height - excluding rear camera (mm)1,998	No. of Valves	16	16		
EnvironmentationEnvironmentationEmissions StandardEuro 5Eco/Power Mode•Engine Stop/Start System•Fuel Tank (Litres)80Steering and HandlingElectric power steering•Front suspension – MacPherson Independent•Rear suspension – Leaf Spring•Wheels16" steel wheelsTyres215/65R16CFront ventilated discs•Front ventilated discs•Rear discs•Elength – excluding rear camera (mm)4,99810% the function2,030Width (mm)2,323Length – excluding rear camera (mm)1,99810%1,99810%1,998	No. of Cylinders	4	4		
Eco/Power Mode•Eco/Power Mode•Engine Stop/Start System•Fuel Tank (Litres)80Steering and Handling•Electric power steering•Front suspension – MacPherson Independent•Rear suspension – Leaf Spring•Wheels16" steel wheelsTyres215/65R16CFull size steel spare wheel•BrakesFont ventilated discsFront ventilated discs•Rear discs•Body Details4,998Length – excluding rear camera (mm)4,998Width (mm)2,030Width – including mirrors (mm)2,323Height – excluding rear camera (mm)1,998Height – excluding rear camera (mm)1,998	Bore x Stroke (mm)	83*92	83*92		
Engine Stop/Start System•Fuel Tank (Litres)80Steering and HandlingElectric power steering•Front suspension – MacPherson Independent•Rear suspension – Leaf Spring•Wheels16" steel wheelsTyres215/65R16CFront ventilated discs•Rear discs•Brakes•Encode time the steel discs•Rear discs•Body Details4,998Length – excluding rear camera (mm)4,998Width (mm)2,323Yidth – including mirrors (mm)2,323Height – excluding rear camera (mm)1,998Length – excluding rear camera (mm)1,998Height – excluding rear camera (mm)1,998	Emissions Standard	Euro 5	Euro 5		
Fuel Tank (Litres)8080Steering and HandlingElectric power steering••Front suspension – MacPherson Independent••Rear suspension – Leaf Spring••Wheels16" steel wheels16" steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel••BrakesFront ventilated discs•Rear discs•Body DetailsLength – excluding rear camera (mm)4,9985,364Width (mm)2,0302,030Width – including mirrors (mm)2,3232,323Height – excluding rear camera (mm)1,9981,998	Eco/Power Mode	•	•		
Steering and HandlingElectric power steering•Front suspension – MacPherson Independent•Rear suspension - Leaf Spring•Wheels16" steel wheelsTyres215/65R16CFront setel spare wheel•BrakesFront ventilated discsRear discs•August colspan="2">Steel wheelsSteer discs•Body Details•Length – excluding rear camera (mm)2,030Width (mm)2,0302,030Width – including mirrors (mm)2,323Height – excluding rear camera (mm)1,9981,9981,998	Engine Stop/Start System	•	•		
Electric power steering•Front suspension – MacPherson Independent•Rear suspension - Leaf Spring•Wheels16" steel wheels16" steel wheels16" steel wheelsTyres215/65R16CFull size steel spare wheel•BrakesFront ventilated discsRear discs•Body DetailsLength – excluding rear camera (mm)4,9985,3642,030Width (mm)2,0302,0302,030Width – including mirrors (mm)2,323Height – excluding rear camera (mm)1,9981,9981,998	Fuel Tank (Litres)	80	80		
Front suspension - MacPherson Independent.Rear suspension - Leaf Spring.Wheels16" steel wheels16" steel wheels16" steel wheelsTyres215/65R16CFull size steel spare wheel.BrakesFront ventilated discsRear discsBody DetailsLength - excluding rear camera (mm)2,030Width (mm)2,0302,030Width - including mirrors (mm)2,3232,323Height - excluding rear camera (mm)1,9981,998	Steering and Handling				
Independent•Rear suspension - Leaf Spring•Wheels16" steel wheelsTyres215/65R16CFull size steel spare wheel•Front ventilated discs•BrakesFront ventilated discsRear discs•Fond ventilated discsfront ventilated discs•Body Details•Length - excluding rear camera (mm)4,998S,3642,030Width (mm)2,0302,3232,323Height - excluding rear camera (mm)1,998Nidth - including mirrors (mm)1,9981,9981,998	Electric power steering	•	•		
Wheels16" steel wheels16" steel wheelsTyres215/65R16C215/65R16CFull size steel spare wheel••BrakesFront ventilated discs•Rear discs••Body DetailsLength – excluding rear camera (mm)2,0302,030Width (mm)2,0302,030Width – including mirrors (mm)2,3232,323Height – excluding rear camera (mm)1,9981,998	•	•	•		
Tyres215/65R16C215/65R16CFull size steel spare wheel••BrakesFront ventilated discs••Rear discs••Body DetailsLength - excluding rear camera (mm)2,0302,030Width (mm)2,0302,030Width - including mirrors (mm)2,3232,323Height - excluding rear camera (mm)1,9981,998	Rear suspension - Leaf Spring	•	•		
Full size steel spare wheel • Brakes • Front ventilated discs • Rear discs • Body Details • Length – excluding rear camera (mm) 4,998 5,364 Width (mm) 2,030 2,030 Width - including mirrors (mm) 2,323 2,323 Height – excluding rear camera (mm) 1,998 1,998	Wheels	16" steel wheels	16" steel wheels		
Brakes Front ventilated discs • Front ventilated discs • Rear discs • Body Details • Length – excluding rear camera (mm) 4,998 5,364 Width (mm) 2,030 2,030 Width – including mirrors (mm) 2,323 2,323 Height – excluding rear camera (mm) 1,998 1,998	Tyres	215/65R16C	215/65R16C		
Front ventilated discs•Rear discs•Body DetailsLength - excluding rear camera (mm)4,998\$5,364Width (mm)2,0302,0302,030Width - including mirrors (mm)2,323Height - excluding rear camera (mm)1,9981,9981,998	Full size steel spare wheel	•	•		
Rear discs•Body DetailsLength - excluding rear camera (mm)4,9985,364Width (mm)2,0302,030Width - including mirrors (mm)2,3232,323Height - excluding rear camera (mm)1,9981,998	Brakes				
Body DetailsLength – excluding rear camera (mm)4,9985,364Width (mm)2,0302,030Width – including mirrors (mm)2,3232,323Height – excluding rear camera (mm)1,9981,998	Front ventilated discs	•	•		
Length - excluding rear camera (mm)4,9985,364Width (mm)2,0302,030Width - including mirrors (mm)2,3232,323Height - excluding rear camera (mm)1,9981,998	Rear discs	•	•		
(mm) 4,998 5,364 Width (mm) 2,030 2,030 Width - including mirrors (mm) 2,323 2,323 Height - excluding rear camera (mm) 1,998 1,998	Body Details				
Width - including mirrors (mm)2,3232,323Height - excluding rear camera (mm)1,9981,998	÷ ÷	4,998	5,364		
Height – excluding rear camera (mm) 1,998 1,998	Width (mm)	2,030	2,030		
(mm) 1,998 1,998	Width – including mirrors (mm)	2,323	2,323		
Wheel base (mm) 3,000 3,366		1,998	1,998		
	Wheel base (mm)	3,000	3,366		
Turning circle (m) 12.1 13.4	Turning circle (m)	12.1	13.4		
Cargo area length (mm) 2,547 2,913	Cargo area length (mm)	2,547	2,913		
Cargo area width (mm) 1,800 1,800	Cargo area width (mm)	1,800	1,800		
Cargo area height (mm) 1,428 1,428					

Variant	SWB Low Roof	LWB Low Roof
Width between wheel arches (mm)	1,390	1,390
Rear door opening width (mm)	1,425	1,425
Rear door opening height (mm)	1,342	1,342
Side door opening width (mm)	1,010	1,010
Side door opening height (mm)	1,300	1,300
Gross vehicle mass (kg)	3,400	3,400
Payload (kg) - excluding driver (75kg)	1,295	1,230
Braked towing capacity (kg)	2,000	2,000
Unbraked towing capacity (kg)	750	750
Cargo volume (m³)	6.3	7.2
Safety and Security Features		
Roll Movement Intervention (RMI)	•	•
Driver's and passenger airbags	•	•
High definition (HD) rear view camera	•	•
Keyless Entry and Start with Proximity Smart Key	•	•
Remote keyless entry and central locking	•	•
Tyre pressure monitoring system	•	•
Front Collision Warning (FCW)	•	•
Blind Spot Detection (BSD)	•	•
Lane Change Assist (LCA)	•	•
Lane Keep Assist (LKA)	•	•
Emergency Lane Keeping (ELK)	•	•
Electronic Stability Control (ESC)	•	•
Anti Skid Braking System (ABS)	•	•
Door Opening Warning (DOW)	•	•
Hill Hold Control (HHC)	•	•
Adaptive Cruise Control (ACC)	•	•
Stop & Go	•	•
Lane Departure Warning (LDW)	•	•
Rear Cross Traffic Alert (RCTA)	•	•
Speed Limit Sign Identification	•	•
Intelligent Headlight Control	•	•
Traction Control System (TCS)	•	•
Vehicle Dynamics Control (VDC)	•	•
Driver and passenger front, side and curtain airbags	6	6
Front parking sensors	4	4
Remote central locking	•	•
LED Daytime Running Lights, headlights and rear taillights	•	•
Driver State Monitoring System	•	•



DELIVER 7 TECHNICAL SPECIFICATION

Mariant	SWB	LWB
Variant	Low Roof	Low Roof
Cargo Area		
Non slip entry steps – side and rear	•	•
Sturdy tie-down points	6	8
Heavy duty, non-slip hard rubber flooring	•	•
Illuminated rear cargo lighting	•	•
Interior Features		
Air conditioning (front)	•	•
Electronic Park Brake	•	•
Auto Wipers – Rain Sensing	•	•
Automatic Headlights	•	•
Multifunction steering wheel	•	•
Column Shift Gear Lever	•	•
Power windows (front)	•	•
8-way adjustable driver's seat with fold down armrest	•	٠
Cup Holders	2	2
12V Power Outlet x 1	•	٠
USB ports	3	3
Apple CarPlay®	•	•
Android Auto [™]	•	•
Speaker Sound System	2	2
4.2" LCD instrument cluster	•	•
12.3" Infotainment Display with Bluetooth, FM/AM/MP3 Player, Apple CarPlay [®] & Android Auto [™] , DAB Radio	•	٠

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, visit https://ldvco.nz/warranty/.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit Idv.co.nz





Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights or state is attached, parking sensors will be disabled.

"The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, wisit https://dxco.nz/warranty/.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit Idv.co.nz